

WHAT IS CLAIMED IS:

1. An apparatus for cleaning a baseboard of a wall, comprising:
5 a plurality of pads;
a handle coupled to the pads; and
wherein at least two of the pads comprise front surfaces, and wherein the front
surfaces are configured to contact a portion of the baseboard during use.
- 10 2. The apparatus of claim 1, further comprising a liquid dispenser, wherein the liquid
dispenser is adapted to provide a liquid to at least one of the pads when the liquid
dispenser is operated by a user.
3. The apparatus of claim 1, wherein one of the pads comprises a sponge, and
15 wherein another of the pads comprises a dry pad.
4. The apparatus of claim 1, wherein the front surfaces of at least two of the pads are
substantially in line with each other.
- 20 5. The apparatus of claim 1, wherein the plurality of pads comprises at least one
front pad for cleaning a front face of the baseboard and at least one top pad for cleaning a
top face of the baseboard.
6. The apparatus of claim 1, wherein the plurality of pads comprises at least one
25 front pad for cleaning a front face of the baseboard and at least one top pad for cleaning a
top face of the baseboard, wherein at least one of the top pads is adjustable with respect to
at least one of the front pads.
7. The apparatus of claim 1, wherein at least two of the pads are coupled by an
30 interconnecting member, wherein the handle is coupled to the interconnecting member

between the two such pads.

8. The apparatus of claim 1, further comprising at least one roller coupled to the pads.

5

9. The apparatus of claim 1, wherein at least one of the pads is removable, reversible, and washable.

10

10. The apparatus of claim 1, wherein at least one of the pads comprises a leading portion, wherein the leading portion is adapted to clean an adjoining baseboard when the apparatus is positioned against a baseboard in an interior corner of a room.

15

11. The apparatus of claim 1, wherein the handle comprises a grip end portion, wherein the grip end portion is angled with respect to an adjoining portion of the handle for the comfort of a user.

20

12. An apparatus for cleaning a baseboard of a wall, comprising:
a plurality of pads, each pad comprising a front surface;
a handle coupled to the pads;
a liquid dispenser, and
wherein the liquid dispenser is adapted to provide a liquid to at least one of the pads during use.

25

13. The apparatus of claim 12, wherein at least one of the pads comprises a sponge, wherein another of the pads comprises a dry cloth, and wherein the liquid dispenser is adapted to provide a liquid to the sponge when the liquid dispenser is operated by a user.

30

14. The apparatus of claim 12, wherein front surfaces of at least two of the pads are substantially in line with each other.

15. The apparatus of claim 12, wherein the liquid dispenser comprises a container, wherein the container is coupled to a pump, and wherein the pump is adapted to pressurize a liquid in the container during use of the liquid dispenser.

5 16. An apparatus for cleaning a baseboard of a wall, comprising:
a holder;
a top pad coupled to the holder for cleaning a top face of the baseboard; and
wherein the top pad is adjustable relative to the holder.

10 17. The apparatus of claim 16, further comprising a front pad coupled to the holder for cleaning a front face of the baseboard.

18. The apparatus of claim 16, wherein the top pad is vertically adjustable.

15 19. The apparatus of claim 16, wherein the top pad is horizontally adjustable.

20. The apparatus of claim 16, further comprising at least one wheel coupled to the holder.

20 21. A method for cleaning a baseboard of a wall, comprising:
wetting a sponge comprising a front surface, wherein the sponge is coupled to a dry pad comprising a front surface substantially in line with the front surface of the sponge;

25 applying the front surfaces of the sponge and the dry pad to a face of the baseboard; and

moving the sponge and the dry pad across a length of the baseboard.

22. The method of claim 21, wherein wetting the sponge comprises operating a liquid dispenser coupled to the sponge.